

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

1280.3479
m 34 P
p. 2

POULTRY

Slaughtered under Federal Inspection and Poultry
Used in Canning and Other Processed Foods
June 1962

August 1, 1962

Canned and Processed Poultry

Poultry inspected and used for canning and other processed foods in June 1962 totaled 38,689,000 pounds, ready-to-cook weights, compared with 35,608,000 pounds in June 1961. The quantity used in June consisted of 8,150,000 pounds of young chickens, 16,395,000 pounds of mature chickens, 11,264,000 pounds of turkey, and 2,880,000 pounds of other poultry.

Inspected Poultry

The number of head (chickens, turkeys, and ducks combined) inspected under the Poultry Inspection Act carried on by the USDA during June 1962 amounted to 184,829,000, compared with 195,754,000 in June 1961. The number of head and pounds (live weight) inspected by classes were: young chickens, 171,849,000 head, 580,770,000 pounds; mature chickens, 8,217,000 head, 40,611,000 pounds; fryer-roaster turkeys, 901,000 head, 7,576,000 pounds; young turkeys, 1,884,000 head, 31,938,000 pounds; old turkeys, 864,000 head, 16,640,000 pounds; and ducks, 1,114,000 head, 7,175,000 pounds.

Certified Poultry

The quantity of poultry certified as wholesome in June 1962 totaled 498,970,000 pounds ready-to-cook weight of which 399,811,000 pounds were iced and 99,159,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 421,448,000 pounds; mature chickens, 27,898,000 pounds; fryer-roaster turkeys, 5,835,000 pounds; young turkeys, 25,528,000 pounds; old turkeys, 13,128,000 pounds; ducks, 5,018,000 pounds; and other poultry 115,000 pounds.

Ante-mortem condemnations in June 1962 amounted to 1,437,000 pounds for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.21 percent; mature chickens, 0.36 percent; fryer-roaster turkeys, 0.11 percent; young turkeys, 0.14 percent; old turkeys, 0.16 percent; and ducks 0.01 percent.

Post-mortem condemnations in June 1962 amounted to 11,110,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 1.80 percent; mature chickens, 2.46 percent; fryer-roaster turkeys, 1.23 percent; young turkeys, 1.39 percent; old turkeys, 1.86 percent; and ducks, 1.01 percent. In June 1961, the condemnations by classes were equivalent to the following percentages: young chickens, 1.74 percent; mature chickens, 2.58 percent; fryer-roaster turkeys, 1.25 percent; young turkeys, 1.18 percent; old turkeys, 1.71 percent; and ducks 2.12 percent.

UNITED STATES DEPARTMENT OF AGRICULTURE

Statistical Reporting Service
Pou 2-1(8-62)

Crop Reporting Board
Washington, D. C.

Poultry: Slaughtered under Federal Inspection, June 1962 with comparisons

Class	Number inspected		Pounds inspected (live weight)		Average live weight	
	: May : June :		: May : June :		: May : June :	
	1962	1961	1962	1961	1962	1961
	Thou.	Thou.	Thou.	Thou.	Lbs.	Lbs.
Young chickens	175,403	180,656	855,515	864,756	592,034	610,831
Mature chickens	8,230	7,801	44,379	47,574	41,664	38,744
Total chickens	183,633	188,457	899,894	912,330	633,698	649,575
Fryer-roasters	881	1,240	901	5,447	7,601	10,875
Young turkeys	1,223	3,401	1,884	6,030	20,136	55,652
Old turkeys	674	1,280	864	1,903	13,336	24,777
Total turkeys	2,778	5,921	3,649	13,380	41,073	91,304
Ducks	1,213	1,376	1,114	4,147	3,915	8,668
Other poultry	---	---	---	---	205	340
Total poultry	---	---	---	---	682,875	749,887

Pounds certified (ready-to-cook weights)

Class	May 1962		June 1962		January-June 1961		January-June 1962	
	: Iced : Frozen :		: Iced : Frozen :		: Iced : Frozen :		: Iced : Frozen :	
	1,000	1,000	1,000	1,000	1,000	1,000	1,000	1,000
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	373,947	53,887	427,834	397,895	44,544	442,429	375,725	45,723
Mature chickens	17,538	11,036	28,574	16,721	10,936	26,757	18,050	9,848
Total chickens	391,485	64,923	456,408	414,606	54,580	469,186	393,775	55,571
Fryer-roasters	1,788	4,144	5,932	2,335	6,144	8,479	1,717	4,118
Young turkeys	2,733	13,300	16,033	5,737	38,923	44,660	2,836	22,692
Old turkeys	900	9,655	10,555	1,739	17,942	19,681	1,392	11,736
Total turkeys	5,421	27,099	32,520	9,811	63,009	72,820	5,945	38,546
Ducks	127	5,473	5,600	136	6,045	6,181	90	4,928
Other poultry	1	108	109	8	174	182	1	114
Total poultry	397,034	97,603	494,637	424,561	123,808	548,369	399,811	99,159

Poultry: Condemnations of poultry slaughtered under Federal Inspection, June 1962 with comparisons

Class	Ante-mortem condemnations						Post-mortem condemnations					
	Pounds (live weight)			Pounds (live weight)			Pounds (N.Y. dressed wt.)			Pounds (N.Y. dressed wt.)		
	June 1961	June 1962	Percent 1/	June 1961	June 1962	Percent 1/	June 1961	June 1962	Percent 2/	June 1961	June 1962	Percent 2/
Young chickens	1,000	1,000		1,000	1,000		1,000	1,000		1,000	1,000	
Mature chickens	1,277	1,210	0.21	6,168	6,526	0.21	9,541	9,388	1.74	51,724	51,724	1.80
Total chickens	1,421	1,356	.22	6,838	7,322	.22	10,439	10,283	1.79	56,006	56,006	1.84
Fryer-roasters	14	8	.13	123	164	.11	122	84	1.25	687	551	1.23
Young turkeys	78	44	.14	176	175	.14	592	399	1.18	1,620	1,727	1.39
Old turkeys	36	27	.14	71	58	.16	381	278	1.71	873	716	1.86
Total turkeys	128	79	.14	370	397	.14	1,095	761	1.33	3,180	2,994	1.51
Ducks	8	1	.9	25	4	.1	165	65	2.12	467	299	1.01
Other poultry	1	1	.21	1	2	.51	2	1	.65	4	6	.51
Total	1,558	1,437	.21	7,234	7,725	.21	11,701	11,110	1.74	60,257	73,038	1.81

Poultry: Inspected for canning and other processed foods, June 1962 with comparisons 3/

Class	Pounds used ready-to-cook weight						Pounds condemned ready-to-cook weight					
	May 1962			January-June 1962			May 1962			January-June 1962		
	1961	1962	Percent	1961	1962	Percent	1961	1962	Percent	1961	1962	Percent
Young chickens	1,000	1,000		1,000	1,000		1,000	1,000		1,000	1,000	
Mature chickens	8,567	6,275	8.150	40,533	41,787	8.150	7	3	6	42	33	6
Turkeys	16,619	17,308	16.395	114,813	106,129	16.395	23	4	6	80	79	6
Other poultry	10,788	7,648	11.264	44,218	59,757	11.264	4	3	8	23	31	8
Total	3,469	4,377	2.880	20,347	20,551	2.880	5	2	4	17	15	4
	39,443	35,608	38.689	219,911	228,224	38.689	39	12	24	162	158	24

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ All poultry inspected for canning and other processing. Excludes raw product cut up and packaged. (Data issued currently during 1961 included raw product cut up and packaged in plants other than those in which the birds were slaughtered and eviscerated.)

4/ Poultry parts and fat used in canning that cannot be identified by class are included in "other poultry."

Young Chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1961 and 1962

Region and State	Number inspected	Pounds			Average live weight			Total pounds certified			Post-mortem condemnations		
		(live weight)			inspected 1/			(Ready-to-cook wt.)			Pounds (NYD)		
		1961	1962	1,000	1961	1962	Pounds	1961	1962	1,000	1961	1962	Percent
N. Atl.	Thou.	13,510	58,468	50,803	3.78	3.76	3.76	1,000	1,000	1,000	842	1.90	1.85
E. N. Cent.	5,927	4,213	20,697	14,769	3.49	3.51	3.51	41,200	36,507	997	150	1.20	1.13
W. N. Cent.	6,119	5,058	19,894	16,861	3.24	3.33	3.33	14,166	12,080	366	267	2.05	1.76
S. Atl.	76,293	70,712	258,783	239,362	3.39	3.39	3.39	189,559	175,051	3,645	3,538	1.57	1.65
S. Cent.	71,920	73,959	236,153	243,351	3.28	3.29	3.29	170,529	175,951	3,924	4,192	1.85	1.92
West	4,924	4,397	16,876	15,624	3.43	3.55	3.55	12,158	11,155	386	399	2.55	2.85
U. S.	180,656	171,849	610,831	580,770	3.38	3.38	3.38	442,429	421,448	9,541	9,388	1.74	1.80
Maine	5,189	5,154	20,177	19,705	3.89	3.82	3.82	14,193	14,529	351	417	1.94	2.35
Mass.	608	628	2,487	2,364	4.09	3.77	3.77	1,714	1,696	64	39	2.86	1.84
Conn.	1,516	1,014	5,317	3,363	3.51	3.32	3.32	3,549	2,284	103	67	2.14	2.21
N. J. 3/		33	---	149	---	4.51	4.51	---	29	---	---	---	.26
Pa.	6,759	6,049	25,180	22,897	3.73	3.79	3.79	18,187	16,427	411	298	1.82	1.45
Ohio	1,906	1,126	6,704	3,961	3.52	3.52	3.52	4,686	2,894	71	43	1.19	1.22
Ind.	2,116	1,662	7,028	5,468	3.32	3.29	3.29	5,123	3,965	71	58	1.13	1.19
Ill.-Mich. 4/	276	263	1,166	1,050	4.22	3.99	3.99	831	751	11	11	1.06	1.17
Wis.	1,629	1,162	5,799	4,290	3.56	3.69	3.69	4,177	3,094	70	38	1.35	.99
Minn.	772	773	2,663	2,757	3.45	3.57	3.57	2,037	2,057	38	32	1.59	1.31
Iowa 3/	106	---	510	---	4.80	---	---	384	---	1	---	.40	---
Mo.	5,121	4,138	16,291	13,404	3.18	3.24	3.24	11,454	9,500	322	233	2.20	1.94
Del.	7,413	7,235	27,519	27,239	3.71	3.76	3.76	20,355	20,217	342	346	1.38	1.41
Md.	9,950	9,050	35,852	33,464	3.60	3.68	3.68	25,808	24,205	482	394	1.49	1.28
Va.	5,670	4,922	17,676	14,882	3.12	3.02	3.02	12,685	10,689	408	141	2.57	1.05
N. C.	18,155	16,819	61,980	57,032	3.41	3.39	3.39	45,287	41,690	642	763	1.15	1.49
S. C.	1,654	1,678	5,529	5,586	3.34	3.33	3.33	4,002	3,990	76	103	1.52	2.07
Ga.	31,605	30,076	104,350	98,287	3.30	3.27	3.27	77,075	72,191	1,640	1,763	1.75	2.00
Ky.	2,936	2,424	9,977	8,172	3.40	3.37	3.37	7,055	5,790	121	100	1.35	1.36
Tenn.	5,841	5,357	20,009	18,135	3.43	3.39	3.39	14,609	13,338	312	246	1.74	1.51
Ala.	17,752	18,499	59,861	61,907	3.37	3.35	3.35	43,561	45,266	1,171	1,111	2.18	2.00
Miss.	12,201	12,935	39,981	42,580	3.28	3.29	3.29	28,861	31,242	580	679	1.62	1.78
Ark.	21,301	21,461	67,502	69,099	3.17	3.22	3.22	48,430	48,843	1,176	1,418	1.94	2.28
La.-Okla. 4/	2,716	3,143	8,893	10,376	3.27	3.30	3.30	6,445	7,624	137	180	1.72	1.93
Texas	9,173	10,140	29,930	33,082	3.26	3.26	3.26	21,568	23,848	427	458	1.59	1.54
Idaho	440	450	1,317	1,510	2.99	3.36	3.36	972	1,109	13	14	1.07	1.07
Utah 5/	63	33	228	117	3.59	3.50	3.50	168	88	2	---	.92	.80
Wash.	665	910	2,217	3,401	3.33	3.74	3.74	1,540	2,421	21	33	1.06	1.08
Oreg. 3/	626	---	2,149	---	3.43	---	---	1,510	---	27	---	1.37	---
Calif.	3,130	3,004	10,965	10,596	3.50	3.53	3.53	7,968	7,537	323	352	3.28	3.70

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Combined to avoid disclosure of individual operations. 5/ Dashes mean less than 500 pounds.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, July 1962

Region and State	Tuber- culosis	Leu- osis	Septi- cemia	Airsec- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scaud	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	1	42,199	74,133	38,340	30,185	896	13	2,287	4,705	8,784	1,026	720	830	204,119
E. N. Cent.	1	2,723	15,828	13,111	5,234	262	4	1,293	2,980	2,750	624	---	1,285	46,095
W. N. Cent.	27	2,866	27,755	31,583	14,128	311	4	1,017	4,780	6,009	413	7	363	89,263
S. Atl.	---	99,157	116,637	347,618	46,365	2,817	28	8,323	37,530	61,579	5,330	1,991	385,964	1,113,339
S. Cent.	---	57,682	214,061	548,545	40,544	5,090	41	12,686	75,038	69,814	7,934	774	222,970	1,255,139
West.	---	3,901	35,732	65,503	12,102	819	3	1,355	1,912	4,627	690	10	17,443	144,097
U. S.	29	208,528	484,146	1,044,700	148,558	10,155	93	26,961	126,945	153,563	16,017	3,502	628,855	2,852,052
Maine	---	13,411	34,344	13,060	19,016	288	---	1,187	1,944	4,027	350	---	641	88,268
Mass.	---	2,117	3,932	1,128	1,818	201	---	99	266	413	139	---	48	10,161
Conn.	---	10,559	6,154	1,693	1,585	112	9	139	204	1,265	5	---	3	21,728
N. J.	---	21	43	---	14	4	---	11	---	2	---	---	---	95
Pa.	1	14,697	28,248	20,082	6,841	270	4	594	2,117	2,812	531	505	138	76,840
Ohio	---	936	5,239	4,397	1,982	101	---	200	634	701	199	---	449	14,838
Ind.	1	1,391	5,841	4,335	2,385	41	1	671	700	1,161	337	---	494	17,358
Ill.-Mich. 1/	---	184	1,391	402	98	17	---	96	455	161	3	---	98	2,905
Wis.	---	212	3,357	3,977	769	103	3	326	1,191	727	85	---	244	10,994
Minn.	25	408	2,258	2,827	563	104	1	81	681	580	10	---	86	7,624
Mo.	2	2,410	25,415	28,749	13,535	197	1	905	4,085	5,190	399	7	277	81,172
Del.	---	26,722	31,593	20,307	13,851	618	2	441	2,568	2,762	171	3	178	99,216
Md.	---	24,434	33,505	26,711	10,524	785	---	713	3,844	3,064	139	---	7,899	111,618
Va.	---	9,299	20,998	7,611	6,286	77	---	210	1,016	1,467	146	---	60	47,170
N. C.	---	7,571	9,352	68,249	5,710	482	4	2,332	10,797	13,071	918	294	118,471	237,251
S. C.	---	368	543	12,159	187	46	4	378	2,268	2,538	80	34	12,861	31,466
Ga.	---	29,786	19,294	206,527	9,476	777	18	4,147	16,748	37,779	3,678	1,649	242,039	571,918
Ky.	---	1,299	8,685	12,910	1,672	70	1	647	2,482	1,613	1,347	1	1,040	31,767
Tenn.	---	4,135	12,234	16,671	1,943	113	---	803	8,235	7,693	120	21	26,109	78,077
Ala.	---	9,199	14,103	203,227	1,506	458	---	1,512	11,200	15,353	683	178	98,831	355,238
Miss.	---	11,610	13,720	86,520	1,506	682	1	2,073	7,274	13,454	2,108	261	64,747	203,956
Ark.	---	17,181	105,730	176,831	20,247	1,484	6	3,758	27,980	15,046	2,319	171	26,500	397,253
Ia.-Okla. 1/	---	3,021	18,372	19,663	3,913	555	12	1,305	3,526	4,050	337	5	140	54,899
Texas	---	11,237	41,217	32,723	10,769	1,688	21	2,588	14,341	12,605	1,020	137	5,603	133,949
Idaho	---	14	1,640	1,565	296	25	---	178	448	290	84	---	620	5,160
Utah	---	23	72	16	72	4	---	5	6	6	---	---	---	204
Wash.	---	257	3,576	1,739	544	27	---	99	194	267	237	6	3,541	10,487
Calif.	---	3,607	30,444	62,183	11,190	763	3	1,073	1,264	4,064	369	4	13,282	128,246

1/ Combined to avoid disclosure of individual operations.

Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, June 1961 and 1962

Region and State	Number inspected	Pounds inspected		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations		Percent	
		1961	1962	1961	1962	1961	1962	1961	1962	1961	1962
N. Atl.	Thou.	1,394	1,361	1,328	7,060	5.19	4,922	135	99	2.05	1.56
E. N. Cent.		1,362	1,427	5,921	6,204	4.35	4,343	122	145	2.30	2.60
W. N. Cent.		1,680	2,127	8,033	9,956	4.78	6,663	225	250	3.13	2.80
S. Atl.		1,308	1,339	7,434	7,487	5.59	5,253	139	136	2.08	2.02
S. Cent.		940	805	5,260	4,896	6.08	3,375	151	135	3.20	3.07
West.		1,117	1,158	4,768	5,008	4.32	3,342	126	130	2.95	2.89
U. S.		7,801	8,217	38,744	40,611	4.97	27,898	898	895	2.58	2.46
Maine		251	260	1,660	1,688	6.61	1,234	29	31	1.96	2.09
Conn. 3/		82	---	514	---	6.24	---	7	---	1.35	---
N. Y.		156	120	758	554	4.87	469	6	6	.99	1.26
N. J.		432	522	1,715	2,059	3.97	1,275	54	33	3.58	1.76
Pa.		271	214	1,457	1,243	5.38	862	21	15	1.64	1.32
Ohio		354	519	1,593	2,235	4.50	1,061	36	45	2.51	2.22
Ind.		478	388	2,128	1,777	4.46	1,524	40	42	2.09	2.60
Ill.		415	416	1,714	1,744	4.13	1,231	40	46	2.61	2.95
Mich. 4/		26	11	115	53	4.51	1,187	1	---	1.83	.89
Wis.		89	93	371	395	4.18	364	5	12	1.37	3.40
Minn.		791	887	3,423	3,789	4.33	2,505	112	117	3.68	3.45
Iowa		105	143	482	636	4.60	444	9	12	1.99	2.16
Mo.		402	732	2,283	3,721	5.68	2,506	41	64	2.01	1.93
Nebr. 3/		315	---	1,433	---	4.55	---	55	---	4.31	---
Kans. 3/		64	---	397	---	6.20	---	8	---	2.25	---
Del.		53	58	365	453	6.93	333	5	7	1.33	1.74
Md.		313	313	1,268	1,262	4.04	879	24	22	2.11	2.01
Va.		152	214	900	1,138	5.93	794	22	17	2.72	1.71
N. C.		332	339	1,947	1,955	5.87	1,349	35	33	2.02	1.86
S. C.		30	24	186	160	6.24	113	4	3	2.54	2.69
Ga.		419	375	2,712	2,433	6.48	1,726	48	52	2.01	2.40
Ky. 3/		---	56	---	298	---	204	---	5	---	2.17
Tenn.		144	147	804	1,011	5.58	689	11	23	1.56	2.51
Ala.		209	69	1,069	466	5.12	341	43	11	4.57	2.58
Miss.		89	66	417	383	4.71	269	9	7	2.52	2.11
Ark.		81	65	564	495	6.92	332	18	21	3.44	4.59
La.-Okla. 5/		190	161	1,191	1,049	6.27	733	30	33	2.81	3.52
Texas		216	241	1,145	1,194	5.30	807	39	35	3.85	3.33
Idaho		17	22	81	103	4.70	72	1	2	2.22	1.76
Utah		38	40	154	150	4.08	108	3	1	1.99	1.09
Wash.		84	124	367	549	4.37	357	10	11	2.97	2.10
Oreg. 3/		96	---	432	---	4.51	---	11	---	2.96	---
Calif.		877	969	3,709	4,198	4.23	2,799	101	116	3.06	3.08

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Data for only 1 year published in order to avoid disclosure of individual operations. 4/ Dashes mean less than 500 pounds.

5/ Combined to avoid disclosure of individual operations.

Mature chickens: Number condemned post-mortem by cause, by regions and selected States, June 1962

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	15	2,663	9,924	18	4,685	3,085	2	246	481	1,346	84	9	188	22,747
E. N. Cent.	2,860	6,026	13,275	31	4,728	5,128	60	721	900	2,532	155	17	3,153	39,586
W. N. Cent.	9,878	4,538	16,997	214	8,830	5,952	326	1,268	1,303	2,605	477	14	5,479	57,881
S. Atl.	15	1,277	6,794	174	3,589	1,428	8	398	940	1,462	302	8	12,923	29,318
S. Cent.	36	3,624	8,658	98	4,865	1,442	23	329	654	3,133	60	4	4,489	27,415
West.	4	825	13,343	221	7,095	7,687	77	721	774	1,605	111	27	3,889	36,379
U. S.	12,808	18,953	68,991	756	33,792	24,723	496	3,683	5,052	12,683	1,189	79	30,121	213,326
Maine	---	471	2,379	8	1,557	214	---	54	47	596	23	---	188	5,537
N. Y.	---	404	537	7	335	261	---	46	82	51	33	1	---	1,757
N. J.	15	1,007	4,234	---	1,418	1,818	---	76	247	321	18	1	---	9,155
Pa.	---	378	1,803	1	609	412	---	43	49	274	9	6	---	3,584
Ohio	436	1,934	2,973	19	2,361	1,594	47	190	461	592	118	17	1,438	12,180
Ind.	405	2,141	3,740	8	546	1,711	9	207	299	356	6	---	1,441	10,869
Ill.	1,639	1,597	5,611	---	1,132	1,247	4	250	103	1,436	29	---	232	13,280
Mich.	---	8	53	1	4	10	---	---	14	---	1	---	6	97
Wis.	380	346	898	3	685	566	---	74	23	148	1	---	36	3,160
Minn.	4,504	1,539	5,477	8	3,749	4,488	142	740	626	1,287	400	4	3,853	26,817
Iowa	650	356	1,718	2	434	93	4	38	24	165	---	---	30	3,514
Mo.	477	1,737	4,732	20	2,484	1,014	147	278	566	801	71	---	1,383	13,710
Del.	---	130	401	17	236	84	---	3	16	30	7	---	---	924
Md.	11	596	2,710	---	1,178	317	---	244	256	120	12	---	42	5,486
Va.	1	215	2,210	35	1,184	399	---	17	95	131	4	---	---	4,291
N. C.	---	68	843	14	714	124	4	64	376	530	210	---	4,585	7,532
S. C.	---	3	36	27	9	8	3	7	38	45	---	---	562	738
Ga.	---	229	582	79	263	491	1	62	151	582	69	8	7,198	9,715
Ky.	16	84	240	3	133	402	3	12	26	176	---	---	232	1,327
Tenn.	---	216	1,599	6	91	128	2	99	92	585	23	---	1,761	4,602
Ala.	---	22	239	10	32	103	1	13	97	288	6	---	1,179	1,990
Miss.	---	9	191	1	123	49	---	12	27	163	2	3	763	1,343
Ark.	---	182	1,381	56	515	99	3	29	39	582	2	---	12	2,900
La.-Okla. 1/	20	918	2,117	12	1,797	318	13	67	237	405	4	1	38	5,947
Texas	---	2,193	2,891	10	2,174	343	1	97	136	934	23	---	504	9,306
Idaho	---	18	244	2	47	56	---	7	10	43	1	---	18	446
Utah	4	93	158	---	6	40	---	8	14	10	---	5	---	338
Wash.	---	110	1,241	---	371	283	---	31	22	183	9	---	755	3,005
Calif.	---	586	11,669	218	6,665	7,308	77	675	717	1,367	101	22	3,116	32,521

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, June 1961 and 1962

Region and State	Number inspected	Pounds		Average live weight		Total pounds certified		Post-mortem condemnations	
		(Live weight)		inspected 1/		(Ready-to-cook wt.)		Pounds (NYD)	
		1961	1962	1961	1962	1961	1962	1961	1962
	Thou.	1,000 pounds	1,000 pounds	Pounds	Pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
									Percent
									Percent
N. Atl.	110	1,128	261	10.25	16.31	843	198	6	1
E. N. Cent.	310	4,757	1,239	15.35	14.58	3,799	970	37	8
W. N. Cent.	1,011	15,025	4,846	14.86	14.01	12,208	3,886	120	57
S. Atl.	303	4,984	4,003	16.45	16.75	3,935	3,162	44	48
S. Cent.	346	5,826	1,633	16.84	17.37	4,639	1,300	47	25
West.	1,321	23,932	19,956	18.12	18.08	19,236	16,012	338	260
U. S.	3,401	55,652	31,938	16.36	16.95	44,660	25,528	592	399
Pa. 3/	99	959	88	9.68	15.56	726	70	5	---
Ohio	80	1,229	230	15.32	13.95	971	185	6	2
Ind. 4/	77	1,288	---	16.63	---	1,053	---	8	---
Wis.	145	2,106	936	14.54	14.47	1,667	749	22	6
Minn.	620	9,200	3,079	14.85	13.38	7,546	2,469	76	41
Iowa	290	4,147	791	14.31	13.39	3,340	641	26	5
Mo. 3/	36	633	34	17.58	16.48	496	28	6	---
Kans. 4/	30	446	---	14.87	---	351	---	8	---
Va.	99	1,544	1,073	15.62	13.70	1,152	814	17	10
N. C.	118	2,220	2,604	18.83	18.90	1,803	2,086	19	37
S. C. 4/	37	700	---	18.69	---	570	---	5	---
Texas	123	2,178	1,440	17.68	17.25	1,758	1,141	17	24
Colo.	118	2,066	744	17.56	17.29	1,686	614	11	5
Utah	204	3,277	1,495	16.07	18.68	2,639	1,191	42	15
Oreg. 4/	43	701	---	16.19	---	571	---	9	---
Calif.	953	17,829	14,513	18.71	17.81	14,301	11,661	274	186

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, June 1962

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Brvises	Cadaver	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	35	1	25	---	---	6	---	9	1	---	---	77
E. N. Cent.	---	1	155	36	118	2	---	5	25	16	2	---	23	383
W. N. Cent.	1	114	1,173	1,732	191	14	2	70	232	194	100	2	27	3,852
S. Atl.	---	73	899	246	848	2	---	15	90	73	14	---	1,017	3,277
S. Cent.	---	8	1,048	136	174	---	1	2	8	21	---	---	32	1,430
West,	---	90	3,562	2,249	3,332	141	2	269	418	349	38	72	1,946	12,468
U. S.	1	286	6,872	4,400	4,688	159	5	367	773	662	155	74	3,045	21,487
Pa.	---	---	6	1	2	---	---	1	---	1	---	---	---	11
Ohio	---	1	30	3	7	---	---	1	3	6	---	---	---	51
Wis.	---	---	109	31	108	2	---	4	18	7	2	---	23	304
Minn.	---	114	672	1,597	74	3	1	49	188	170	95	2	18	2,883
Iowa	---	---	183	32	38	---	---	4	31	11	2	---	9	310
Mo.	---	---	4	2	4	---	---	1	---	1	---	---	---	12
Va.	---	1	371	142	81	---	---	5	52	5	2	---	---	659
N. C.	---	71	502	101	721	2	---	10	7	66	12	---	1,012	2,504
Texas	---	8	1,011	132	162	---	1	2	7	19	---	---	32	1,374
Colo.	---	---	37	15	94	---	---	2	10	9	5	---	---	172
Utah	---	---	69	71	703	5	---	22	17	7	10	---	---	904
Calif.	---	38	2,845	1,912	1,853	74	---	169	199	285	22	---	1,869	9,266

Fryer-Roaster Turkeys: Slaughtered under Federal Inspection, by regions and selected States, June 1961 and 1962

Region and State	Number inspected	Pounds inspected		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations	
		1961	1962	1961	1962	1961	1962	1961	1962
N. Atl. 3/	Thou.	Thou.	pounds	pounds	pounds	pounds	pounds	pounds	Percent
E. N. Cent.	2	24	18	9.00	8.36	14	151	2	0.93
W. N. Cent.	335	212	3,248	9.70	8.76	2,564	1,474	13	.79
S. Atl.	453	261	3,949	8.72	8.61	3,144	1,754	23	1.49
S. Cent.	251	299	2,100	8.37	8.29	1,556	1,845	38	1.85
West.	48	37	373	7.77	8.05	288	232	2	.75
	151	68	1,187	7.86	7.25	913	379	6	.94
U. S.	1,240	901	10,875	8.77	8.41	8,479	5,835	84	1.23
Ohio	37	34	315	8.59	8.79	242	151	2	.71
Wis.	298	177	2,933	9.84	8.82	2,322	1,328	11	.79
Minn.	389	196	3,393	8.72	8.62	2,707	1,320	20	1.70
Va.	239	299	2,001	8.36	8.29	1,476	1,845	38	1.93
Ark.	34	37	260	7.61	8.10	198	231	2	.73
Calif.	118	55	904	7.65	6.81	691	284	5	1.15

Fryer-Roaster Turkeys: Number condemned post-mortem by cause, by regions and selected States, June 1962

Region and State	Tuber- culosis:	Leu- cosis:	Septi- cemia:	Airsac- culitis:	Inflam- matory:	Tumors	Para- sites	Bruises	Cadaver- ination:	Contam- nation:	Over- scald:	Decom- position:	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	1	2	94	---	26	---	---	4	6	6	---	---	---	138
E. N. Cent.	---	8	522	36	246	3	---	21	44	138	7	---	172	1,198
W. N. Cent.	---	4	759	372	98	---	1	79	114	261	191	2	3	1,884
S. Atl.	---	4	1,650	2,294	233	---	---	15	147	33	1	---	---	4,377
S. Cent.	---	---	132	39	34	1	---	2	17	16	---	---	10	251
West.	---	2	268	32	62	1	---	11	26	60	41	4	49	556
U. S.	1	20	3,425	2,773	699	5	1	132	354	514	240	6	234	8,404
Ohio	---	---	79	4	9	---	---	---	16	16	---	---	4	128
Wis.	1	8	443	32	236	3	---	21	28	122	7	---	168	1,069
Minn.	---	3	710	341	45	---	1	66	86	224	191	2	2	1,671
Va.	---	4	1,650	2,294	233	---	---	15	147	33	1	---	---	4,377
Ark.	---	---	132	39	30	1	---	1	17	16	---	---	---	236
Calif.	---	---	220	31	42	1	---	10	24	59	41	---	48	476

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

Old Turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, June 1961 and 1962

Region and State	Number inspected	Pounds		Average live weight		Total pounds		Post-mortem condemnations	
		1961	1962	(live weight)	1/ (Ready-to-cook wt.)	1961	1962	Pounds (NYD)	Percent 2/
N. Atl. 3/	Thou.	1,000	1,000	Pounds	Pounds	1,000	1,000	1,000	Percent
E. N. Cent.	17	322	378	18.94	19.89	258	286	1	0.35
W. N. Cent.	130	2,464	3,391	18.95	18.63	1,967	2,691	46	1.51
S. Atl.	319	5,933	3,846	18.60	18.85	4,679	3,017	85	2.46
S. Cent.	54	1,006	266	18.63	15.65	782	211	4	1.67
West.	144	2,684	2,114	18.64	19.05	2,121	1,667	37	1.95
	616	12,368	6,645	20.08	20.08	9,874	5,256	106	1.77
U. S.	1,280	864	24,777	19.36	19.26	19,681	13,128	278	1.71
Ohio	57	1,067	1,688	18.63	17.81	853	1,341	10	1.11
Wis.	30	541	843	18.14	18.93	429	669	13	2.63
Minn.	103	1,938	1,643	18.83	18.79	1,544	1,291	30	1.75
Iowa	48	886	481	18.47	18.96	705	385	11	1.33
Va.	33	12	580	17.72	15.43	441	148	9	1.81
Texas	108	79	2,049	19.06	19.24	1,627	1,208	31	1.67
Calif.	448	9,129	6,367	20.39	20.13	7,275	5,032	170	2.07

Old Turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, June 1962

Region and State	Tuber: Leu-		Septil- cemia		Inflam- matory		Para- cullitis		Bruises : sites		Cadaver: ination		Over-: scald		Decom-: position		Other : Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	2	38	18	2	110	627	13	---	2	96	62	3	---	1	---	65	---
E. N. Cent.	3	23	652	627	110	773	898	21	---	62	260	79	1	---	2	122	1,735	---
W. N. Cent.	37	15	1,217	898	30	37	480	21	---	1	3	13	---	---	1	28	3,472	---
S. Atl.	---	1	129	37	2	200	1,853	22	---	48	171	52	---	---	---	---	216	---
S. Cent.	---	79	724	480	21	145	1,853	22	---	114	52	1	---	---	---	237	1,968	---
West.	---	6	521	1,853	22	145	1,853	22	---	114	52	1	---	---	---	906	4,042	---
U. S.	40	126	3,281	3,913	80	1,260	3,913	80	---	325	559	83	4	---	4	1,293	11,498	---
Ohio	2	13	278	286	5	24	286	5	---	54	12	3	2	---	2	66	750	---
Wis.	1	7	152	314	4	54	314	4	---	14	9	---	---	---	---	45	613	---
Minn.	---	4	444	410	13	522	410	13	---	26	110	75	1	---	1	15	1,654	---
Iowa	---	---	83	24	3	67	24	3	---	18	4	1	---	---	---	13	219	---
Va.	---	1	85	19	2	10	19	2	---	3	1	---	---	---	---	---	121	---
Texas	---	70	473	339	19	104	339	19	---	12	140	---	---	---	---	116	1,278	---
Calif.	---	6	500	1,811	22	131	1,811	22	---	112	50	1	---	---	---	897	3,931	---

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

UNITED STATES DEPARTMENT OF AGRICULTURE
STATISTICAL REPORTING SERVICE
WASHINGTON, D. C.

POSTAGE AND FEES PAID

OFFICIAL BUSINESS



Growth Through Agricultural Progress

Definitions -

- Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.
- Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.
- Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.
- Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.
- Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.
- Ducks - Includes all ducks regardless of age and weight.
- Other poultry - Includes all other ready-to-cook products which bear the U.S.D.A. Inspected for Wholesomeness legend.

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.